


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



HIGHLANDS NURSERY
3800 FEET ELEVATION
PINEOLA, NORTH CAROLINA

BOXFORD NURSERY
SPECIMEN EVERGREENS
BOXFORD, MASSACHUSETTS

CAROLINA MOUNTAIN FLOWERS
HARDY NATIVE AMERICAN PLANTS

Harlan P. Kelsey
Salem, Massachusetts

RECEIVED

U. S. Department of Agriculture

SALE OF NURSERY STOCK

Grown at Highlands Nursery, Pineola, North Carolina, to be closed out
Fall, 1917, and Spring, 1918

Special prices will be made, depending on *quantities taken*, preference being given to fall shipments and to carload orders and where all of a lot is taken.

Please mark the items you are interested in with quantities desired opposite sizes.

Particular attention is called to the splendid stock of Conifers, both in lining out and the larger sizes, also to the following: *Kalmias*, *Leucothoe*, *Rhododendrons*, *Azaleas*, *Aronias*, *Corylus*, *Oxydendrum*, *Rosa*, *Viburnums*, and *Zanthorhiza*.

It is an exceptional chance for nurserymen, park officials, and private planters to secure unusually fine stock at minimum cost.

Please give this your immediate attention, as delay may mean lost opportunity.

Evergreen Trees and Shrubs

| | | |
|-------|---|---------------------|
| 7,400 | Abies concolor. | 6 to 12 in. |
| 240 | " " | 1 to 2 ft. |
| 1,474 | " fraseri. | 2 to 3 ft. |
| 1,829 | " " | 3 to 4 ft. |
| 1,180 | " " | 4 to 5 ft. |
| 543 | " " | 5 to 6 ft. |
| 173 | Chamaedaphne calyculata. | 6 to 12 in. |
| 226 | " " | 1 to 1½ ft. |
| 73 | Ilex opaca. | 6 to 12 in. |
| 513 | " " | 1 to 1½ ft. |
| 234 | " " | 1½ to 2 ft. |
| 32 | " " | 2 to 3 ft. |
| 15 | Juniperus virginiana. | 2 to 3 ft. |
| 75 | " " | 3 to 4 ft. |
| 21 | " " | 4 to 6 ft. |
| 14 | " " | 6 to 8 ft. |
| 284 | Kalmia angustifolia. | 6 to 12 in. |
| 270 | " " | 1 to 1½ ft. |
| 110 | " " | 1½ to 2 ft. |
| 1,035 | " latifolia. | 3 to 6 in. |
| 764 | " " | 6 to 9 in. |
| 1,060 | " " | 9 to 12 in. |
| 105 | " " | 1 to 1½ ft. |
| 135 | " " | 1½ to 2 ft. |
| 38 | " " | 2 to 3 ft. |
| 184 | " " | 9 to 12 in., clumps |
| 1,280 | " " | 1 to 1½ ft., clumps |
| 465 | " " | 1½ to 2 ft., clumps |
| 464 | " " | 2 to 3 ft., clumps |
| 50 | " " | 3 to 4 ft., clumps |
| 468 | Leiophyllum buxifolium. | 6 to 12 in., clumps |
| 56 | " " | 1 to 1½ ft., clumps |
| 100 | " prostratum. | 1 to 3 in., clumps |
| 135 | " " | 3 to 6 in., clumps |
| 100 | " " | 6 to 9 in., clumps |
| 550 | Leucothoe catesbaei. | 6 to 12 in. |
| 1,890 | " " | 1 to 1½ ft. |
| 1,400 | " " | 1½ to 2 ft. |
| 100 | " " | 2 to 3 ft. |
| 500 | " " | 6 to 12 in., clumps |
| 1,235 | " " | 1 to 1½ ft., clumps |
| 1,167 | " " | 1½ to 2 ft., clumps |
| 20 | " " | 2 to 3 ft., clumps |
| 2,000 | Picea engelmannii. | 6 to 12 in., S. |
| 400 | " " | 3 to 6 in., S. |
| 213 | " " | 3 to 6 in. |
| 5,000 | " pungens. | 3 to 6 in., S. |
| 5,000 | " " | 6 to 12 in., S. |
| 200 | " " | 1 to 2 ft., S. |
| 784 | " " | 3 to 6 in., S. |
| 1,030 | " " | 6 to 12 in. |
| 160 | " " | 1 to 2 ft. |
| 25 | " " | 2 to 3 ft. |
| 11 | " " | 3 to 4 ft. |
| 15 | " " | 4 to 5 ft. |
| 50 | Pieris (Andromeda) floribunda. | 6 to 12 in. |
| 75 | " " | 1 to 1½ ft. |
| 75 | " " | 1½ to 2 ft. |
| 100 | " " | 6 to 12 in., clumps |
| 323 | " " | 1 to 1½ ft., clumps |
| 95 | " " | 1½ to 2 ft., clumps |
| 20 | " " | 2 to 2½ ft., clumps |
| 35 | " " | 1 to 3 in., Tr. |
| 88 | Pinus nigra austriaca. | 2 to 3 ft. |
| 100 | " " | 3 to 4 ft. |
| 110 | " " | 4 to 5 ft. |
| 189 | " " | 5 to 6 ft. |
| 230 | " divaricata (banksiana). | 4 to 6 ft. |
| 650 | " " | 6 to 8 ft. |
| 700 | " " | 8 to 10 ft. |
| 690 | " " | 10 to 12 ft. |
| 450 | " flexilis. | 3 to 6 in. |
| 700 | " " | 6 to 12 in. |
| 5,373 | " ponderosa. | 1 to 2 ft. |
| 746 | " " | 2 to 3 ft. |
| 15 | " " | 3 to 4 ft. |
| 1,400 | " resinosa. | 1 to 2 ft., S. |
| 540 | " " | 1 to 2 ft. |
| 500 | " " | 2 to 3 ft. |
| 200 | " " | 3 to 4 ft. |
| 16 | " rigida. | 3 to 4 ft. |
| 135 | " " | 4 to 6 ft. |
| 212 | " " | 6 to 8 ft. |
| 200 | " " | 8 to 10 ft. |
| 163 | " " | 10 to 12 ft. |
| 400 | " strobis. | 3 to 6 in., S. |
| 500 | " " | 6 to 12 in., S. |
| 50 | " " | 2 to 3 ft. |
| 25 | " " | 3 to 4 ft. |
| 50 | " " | 4 to 6 ft. |
| 500 | Pseudotsuga douglasii (taxifolia). | 3 to 6 in., S. |
| 532 | " " | 6 to 12 in., S. |
| 3,270 | " " | 1 to 2 ft., S. |
| 281 | " " | 3 to 6 in. |
| 800 | " " | 6 to 12 in. |
| 150 | " " | 1 to 2 ft. |
| 200 | Rhododendron carolinianum. | 3 to 6 in. |
| 200 | " " | 6 to 9 in. |
| 258 | " " | 9 to 12 in. |
| 280 | " " | 1 to 1½ ft. |
| 290 | " " | 1½ to 2 ft. |
| 100 | " " | 6 to 9 in., clumps |
| 171 | " " | 9 to 12 in., clumps |
| 283 | " " | 1 to 1½ ft., clumps |
| 333 | " " | 1½ to 2 ft., clumps |
| 1,305 | " catawbiense. | 3 to 6 in. |
| 1,480 | " " | 6 to 9 in. |
| 1,500 | " " | 9 to 12 in. |
| 413 | " " | 1 to 1½ ft. |

| | | |
|-------|----------------------------------|---------------------------|
| 110 | Rhododendron catawbiense. | 1½ to 2 ft. |
| 1,211 | " " | 6 to 9 in., clumps |
| 1,000 | " " | 9 to 12 in., clumps |
| 300 | " " | 1 to 1½ ft., clumps |
| 422 | " " | 1 to 1½ ft., heavy clumps |
| 1,719 | " " | 1½ to 2 ft., clumps |
| 2,409 | " " | 2 to 3 ft., clumps |
| 608 | " " | 3 to 4 ft., clumps |
| 1,922 | " maximum. | 3 to 6 in. |
| 2,291 | " " | 6 to 9 in. |
| 622 | " " | 9 to 12 in. |
| 476 | " " | 1 to 1½ ft. |
| 1,359 | " " | 1½ to 2 ft. |
| 135 | " " | 2 to 3 ft. |
| 35 | " " | 3 to 5 ft. |
| 238 | " " | 9 to 12 in., clumps |
| 1,332 | " " | 1 to 1½ ft., clumps |
| 645 | " " | 1½ to 2 ft., clumps |
| 294 | " " | 2 to 3 ft., clumps |
| 112 | " " | 3 to 4 ft., clumps |
| 2,724 | Tsuga canadensis. | 6 to 12 in. |
| 914 | " " | 1 to 1½ ft. |
| 525 | " " | 1½ to 2 ft. |
| 158 | " " | 2 to 3 ft. |
| 66 | " " | 3 to 4 ft. |
| 40 | " " | 4 to 5 ft. |
| 184 | " " | 5 to 6 ft. |
| 173 | " " | 6 to 7 ft. |
| 178 | " " | 7 to 8 ft. |
| 175 | " " | 8 to 10 ft. |
| 15 | " " | 10 to 12 ft. |
| 8,000 | " caroliniana. | 1 to 3 in. |
| 2,450 | " " | 3 to 6 in. |
| 500 | " " | 6 to 12 in. |
| 300 | " " | 1 to 1½ ft. |
| 250 | " " | 1½ to 2 ft. |
| 250 | " " | 2 to 3 ft. |
| 200 | " " | 3 to 4 ft. |
| 150 | " " | 4 to 5 ft. |
| 4 | " " | 6 to 7 ft. |
| 10 | " " | 7 to 8 ft. |
| 3 | " " | 8 to 10 ft. |

Deciduous Trees and Shrubs

| | | |
|-------|---|---------------------|
| 427 | Acer saccharum. | 1 to 2 ft. |
| 124 | " " | 2 to 3 ft. |
| 175 | " " | 3 to 4 ft. |
| 358 | " " | 4 to 6 ft. |
| 52 | " spicatum. | 2 to 3 ft. |
| 41 | " " | 3 to 4 ft. |
| 30 | Ainus mitchelliana. | 2 to 3 ft., clumps |
| 55 | " " | 3 to 4 ft., clumps |
| 100 | " " | 4 to 6 ft., clumps |
| 400 | Amelanchier canadensis (botryapium). | 1 to 2 ft. |
| 102 | " " | 2 to 3 ft. |
| 80 | " " | 3 to 4 ft. |
| 53 | " " | 6 to 8 ft. |
| 27 | " " | 8 to 10 ft. |
| 25 | " " | 10 to 12 ft. |
| 300 | Amorpha fruticosa. | 3 to 6 in., S. |
| 100 | " " | 6 to 12 in., S. |
| 93 | Aralia spinosa. | 1 to 2 ft. |
| 53 | " " | 2 to 3 ft. |
| 10 | " " | 3 to 4 ft. |
| 15 | " " | 4 to 6 ft. |
| 204 | Aronia arbutifolia. | 1 to 2 ft. |
| 852 | " " | 2 to 3 ft. |
| 110 | " " | 3 to 4 ft. |
| 56 | " " | 4 to 5 ft. |
| 362 | " melanocarpa nigra. | 1 to 2 ft. |
| 300 | " " | 2 to 3 ft. |
| 604 | " " | 3 to 4 ft. |
| 86 | " " | 4 to 5 ft. |
| 1,180 | Azalea arborescens. | 6 to 12 in. |
| 2,211 | " " | 1 to 1½ ft. |
| 515 | " " | 1½ to 2 ft. |
| 55 | " " | 6 to 12 in., clumps |
| 265 | " " | 1 to 1½ ft., clumps |
| 106 | " " | 1½ to 2 ft., clumps |
| 885 | " lutea. | 6 to 12 in. |
| 1,525 | " " | 1½ to 2 ft. |
| 635 | " " | 1 to 1½ ft. |
| 410 | " " | 2 to 3 ft. |
| 85 | " " | 3 to 4 ft. |
| 1,035 | " " | 6 to 12 in., clumps |
| 600 | " " | 1 to 1½ ft., clumps |
| 320 | " " | 1½ to 2 ft., clumps |
| 150 | " " | 2 to 3 ft., clumps |
| 118 | " " | 3 to 4 ft., clumps |
| 20 | " " | 4 to 5 ft., clumps |
| 516 | " nudiflora. | 6 to 12 in. |
| 1,040 | " vaseyi. | 6 to 12 in. |
| 124 | " " | 6 to 12 in., clumps |
| 1,500 | " viscosa. | 6 to 12 in. |
| 1,150 | " " | 1 to 1½ ft. |
| 526 | " " | 1½ to 2 ft. |
| 50 | " " | 2 to 2½ ft. |
| 350 | " " | 1 to 1½ ft., clumps |
| 363 | " " | 1½ to 2 ft., clumps |
| 145 | " " | 2 to 2½ ft., clumps |
| 560 | " " | 6 to 12 in., clumps |
| 45 | Betula lenta. | 8 to 10 ft. |
| 25 | " " | 10 to 12 ft. |
| 250 | Bignonia capreolata (crucigera). | 6 to 18 in. |
| 115 | Calycanthus floridus. | 1 to 2 ft. |
| 25 | " " | 2 to 3 ft. |
| 40 | " " | 3 to 4 ft. |
| 115 | " " | 1 to 2 ft., clumps |
| 100 | " " | 2 to 3 ft., clumps |
| 65 | " " | 3 to 4 ft., clumps |

SALE OF NURSERY STOCK, continued

DECIDUOUS TREES AND SHRUBS, continued

| | | |
|--------|--|-----------------------------|
| 35 | Carpinus caroliniana (americana). | 6 to 8 ft. |
| 216 | " | 8 to 10 ft. |
| 61 | " | 10 to 12 ft. |
| 30 | " | 12 to 14 ft. |
| 125 | Castanea pumila. | 1 to 2 ft. |
| 300 | " | 2 to 3 ft. |
| 200 | " | 3 to 4 ft. |
| 275 | " | 4 to 5 ft. |
| 30 | " | 5 to 6 ft. |
| 135 | Celastrus scandens. | 6 to 12 in. |
| 175 | " | 1 to 2 ft. |
| 50 | " | 2 to 3 ft. |
| 492 | " orbiculatus punctatus. | 1 to 2 ft. |
| 400 | " | 2 to 3 ft. |
| 120 | Clethra acuminata. | 1 to 2 ft. |
| 155 | " | 2 to 3 ft. |
| 137 | " | 3 to 4 ft. |
| 100 | " | 4 to 6 ft. |
| 75 | " | 6 to 8 ft. |
| 400 | " alnifolia. | 6 to 12 in. |
| 400 | " | 1 to 1½ ft. |
| 200 | " | 1½ to 2 ft. |
| 287 | " | 1 to 1½ ft., clumps |
| 214 | " | 1½ to 2 ft., clumps |
| 272 | Comptonia asplenifolia. | 1 to 2 ft. |
| 100 | Cornus alternifolia. | 1 to 2 ft. |
| 50 | " amomum. | 2 to 3 ft. |
| 125 | " | 3 to 4 ft. |
| 134 | " | 4 to 6 ft. |
| 161 | Corylus americana. | 1 to 2 ft. |
| 266 | " | 2 to 3 ft. |
| 116 | " | 3 to 4 ft. |
| 350 | " | 4 to 6 ft. |
| 150 | " | 1 to 2 ft., clumps |
| 541 | " | 2 to 3 ft., clumps |
| 263 | " | 3 to 4 ft., clumps |
| 350 | " | 4 to 6 ft., clumps |
| 220 | " | 1 to 3 in., S. |
| 382 | " rostrata. | 1 to 2 ft. |
| 100 | " | 2 to 3 ft. |
| 130 | " | 3 to 4 ft. |
| 26 | " | 4 to 5 ft. |
| 786 | " | 1 to 2 ft., clumps |
| 1,284 | " | 2 to 3 ft., clumps |
| 431 | " | 3 to 4 ft., clumps |
| 82 | Crataegus coccinea. | 3 to 4 ft. |
| 15 | " | 4 to 5 ft. |
| 615 | " punctata. | 6 to 12 in., S. |
| 275 | " | 1 to 2 ft. |
| 100 | " | 2 to 3 ft. |
| 90 | " | 3 to 4 ft. |
| 494 | " | 4 to 6 ft. |
| 40 | " | 6 to 8 ft. |
| 20 | Diervilla rivularis. | 1 to 2 ft., clumps |
| 45 | " | 6 to 12 in. |
| 62 | " sessilifolia. | 1 to 2 ft., clumps |
| 70 | " | 2 to 3 ft., clumps |
| 15 | " | 3 to 4 ft., clumps |
| 284 | Gaylussacia baccata (resinosa). | 6 to 12 in. |
| 925 | " | 1 to 2 ft. |
| 440 | Hydrangea arborescens. | 1 to 2 ft., clumps |
| 250 | " | 2 to 3 ft., clumps |
| 50 | " | 3 to 4 ft., clumps |
| 710 | Hypericum aureum. | 6 to 12 in., S. |
| 400 | " | 1 to 2 ft., S. |
| 25 | " | 1 to 2 ft. |
| 100 | " | 2 to 3 ft. |
| 40 | " | 3 to 4 ft. |
| 450 | " densiflorum. | 1 to 2 ft. |
| 250 | " | 2 to 3 ft. |
| 140 | " | 3 to 4 ft. |
| 40 | " | 4 to 5 ft. |
| 500 | " prolificum. | 3 to 6 in., S. |
| 525 | " | 1 to 2 ft., S. |
| 170 | " | 2 to 3 ft., S. |
| 305 | " | 1 to 2 ft. |
| 601 | " | 2 to 3 ft. |
| 35 | Ilex decidua. | 1 to 2 ft. |
| 124 | " | 2 to 3 ft. |
| 25 | " | 3 to 4 ft. |
| 15 | " | 4 to 6 ft. |
| 12 | " | 6 to 8 ft. |
| 313 | " monticola. | 1 to 2 ft. |
| 44 | " | 2 to 3 ft. |
| 35 | " | 3 to 4 ft. |
| 20 | " | 4 to 6 ft. |
| 15 | " | 6 to 8 ft. |
| 160 | " verticillata. | 6 to 12 in., S. |
| 238 | " | 1 to 2 ft. |
| 25 | " | 2 to 3 ft. |
| 10,000 | Lonicera japonica halliana. | Light stock for lining out. |
| 4,200 | " | Light. |
| 1,150 | " | Strong. |
| 136 | Lyonia ligustrina. | 1 to 2 ft. |
| 14 | Magnolia fraseri. | 1 to 2 ft. |
| 20 | " | 2 to 3 ft. |
| 22 | " | 3 to 4 ft. |
| 25 | " tripetala. | 2 to 3 ft. |
| 27 | " | 3 to 4 ft. |
| 3,300 | Malus coronaria. | 3 to 6 in., S. |
| 700 | " | 6 to 12 in., S. |
| 400 | " | 1 to 2 ft., S. |
| 184 | " | 1 to 2 ft. |
| 50 | " | 2 to 3 ft. |
| 75 | " | 3 to 4 ft. |
| 250 | Menziesia pilosa. | 1 to 2 ft., clumps |
| 75 | " | 2 to 3 ft., clumps |
| 15 | " | 3 to 4 ft., clumps |
| 50 | Myrica gale. | 1 to 1½ ft. |
| 204 | Nyssa sylvatica. | 1 to 2 ft. |
| 220 | " | 2 to 3 ft. |
| 62 | Ostrya virginiana. | 1 to 2 ft. |
| 5,818 | Oxydendrum arboreum. | 1 to 2 ft. |
| 6,278 | " | 2 to 3 ft. |
| 3,711 | " | 3 to 4 ft. |
| 1,539 | " | 4 to 5 ft. |
| 166 | " | 5 to 6 ft. |
| 282 | Rhus copallina. | 1 to 2 ft. |
| 265 | " | 2 to 3 ft. |
| 111 | " | 3 to 4 ft. |
| 25 | " | 4 to 5 ft. |
| 100 | " typhina. | 3 to 4 ft. |
| 170 | " | 4 to 6 ft. |
| 246 | " | 6 to 8 ft. |
| 100 | " | 8 to 10 ft. |
| 200 | Robinia hispida. | 1 to 2 ft. |
| 120 | " | 2 to 3 ft. |
| 35 | " | 3 to 4 ft. |
| 25 | " viscosa. | 3 to 4 ft. |
| 15 | " | 4 to 6 ft. |
| 38 | " | 6 to 8 ft. |
| 200 | Rosa blanda. | 1 to 2 ft. |
| 20 | " | 2 to 3 ft. |
| 400 | " carolina. | 1 to 3 in., S. |
| 500 | " | 3 to 6 in., S. |
| 600 | " | 6 to 12 in., S. |
| 800 | " | 1 to 2 ft., S. |
| 866 | " | 1 to 2 ft. |
| 850 | " | 2 to 3 ft. |
| 334 | " | 3 to 4 ft. |
| 150 | " | 4 to 5 ft. |
| 400 | " lucida | 1 to 3 in., S. |
| 250 | " | 6 to 12 in., S. |
| 100 | " | 6 to 12 in. |
| 772 | " | 1 to 2 ft. |

| | | |
|-------|---------------------------------|---------------------|
| 2,560 | Rosa nitida. | 1 to 3 in., S. |
| 353 | " | 6 to 12 in. |
| 394 | " | 1 to 2 ft. |
| 5,000 | " nutkana. | 1 to 3 in., S. |
| 85 | " | 1 to 2 ft. |
| 17 | " | 2 to 3 ft. |
| 195 | " rubiginosa. | 1 to 2 ft. |
| 450 | Rubus canadensis. | 1 to 2 ft. |
| 375 | " | 2 to 3 ft. |
| 134 | " laciniatus. | 1 to 2 ft. |
| 84 | " | 2 to 3 ft. |
| 127 | Sambucus canadensis. | 2 to 3 ft. |
| 30 | " | 3 to 4 ft. |
| 124 | Stewartia pentagyna. | 1 to 2 ft. |
| 307 | " | 2 to 3 ft. |
| 100 | " | 3 to 4 ft. |
| 60 | " | 4 to 6 ft. |
| 108 | Vaccinium erythrocarpum. | 1 to 2 ft. |
| 2,700 | " macrocarpon. | |
| 170 | " pallidum. | 1 to 2 ft. |
| 173 | " | 1 to 2 ft., clumps |
| 125 | " | 2 to 3 ft., clumps |
| 60 | " | 3 to 4 ft., clumps |
| 130 | " stamineum. | 1 to 1½ ft. |
| 121 | " | 1½ to 2 ft. |
| 132 | " | 1 to 1½ ft., clumps |
| 210 | " | 1½ to 2 ft., clumps |
| 50 | " | 2 to 3 ft., clumps |
| 100 | Viburnum cassinoides. | 6 to 12 in. |
| 700 | " | 1 to 2 ft. |
| 82 | " | 2 to 3 ft. |
| 225 | " | 3 to 4 ft. |
| 100 | " | 4 to 6 ft. |
| 125 | " | 2 to 3 ft., clumps |
| 300 | " | 3 to 4 ft., clumps |
| 200 | " | 4 to 6 ft., clumps |
| 50 | " | 6 to 8 ft., clumps |
| 3,000 | " dentatum. | 1 to 3 in., S. |
| 750 | " | 6 to 12 in., S. |
| 500 | " | 1 to 2 ft., S. |
| 22 | " | 2 to 3 ft., clumps |
| 125 | " | 3 to 4 ft., clumps |
| 11 | " | 4 to 6 ft., clumps |
| 2,000 | Zanthorhiza apiifolia. | 6 to 12 in. |
| 2,000 | " | 1 to 1½ ft. |
| 600 | " | 1½ to 2 ft. |
| 1,600 | " | 3 to 6 in., clumps |
| 5,000 | " | 6 to 12 in., clumps |
| 6,500 | " | 1 to 1½ ft., clumps |
| 500 | " | 1½ to 2 ft., clumps |

Herbaceous Plants

| | | |
|------------------------------------|--|------------|
| 120 | Actæa alba | |
| 130 | Acorus calamus | |
| 300 | Allium cernuum | |
| 150 | Amsonia tabernaemontana. | Strong |
| 280 | Asarum macranthum | |
| 300 | Aster umbellatus | |
| 250 | Calopogon pulchellus | |
| 680 | Chamaelirium luteum | |
| 250 | Chelone lyonii | |
| 250 | Cimicifuga americana | |
| 1,110 | " racemosa | |
| 210 | Clematis crispa | |
| 110 | " virginiana. | Strong |
| 120 | " vitalba. | Strong |
| 410 | Clintonia umbellata | |
| 270 | Convallaria majalis | |
| 500 | Coreopsis lanceolata | |
| 350 | " major | |
| 300 | " rosea | |
| 350 | " verticillata | |
| 1,000 | Cypripedium acaule. | Light |
| 500 | " | Strong |
| 2,200 | " hirsutum. | Light |
| 1,100 | " | Strong |
| 130 | Diphyleia cymosa | |
| 180 | Eupatorium urticifolium (ageratoides) | |
| FERNS, HARDY NATIVE SPECIES | | |
| 600 | Adiantum pedatum | |
| 310 | Asplenium filix-femina | |
| 350 | Botrychium virginianum | |
| 270 | Osmunda cinnamomea | |
| 220 | " claytoniana | |
| 320 | " regalis | |
| 480 | Polystichum (Dryopteris) acrostichoides | |
| 440 | " | marginalis |
| 530 | " | spinulosa |
| 550 | Pteridium aquilinum | |
| 110 | Gaultheria procumbens. | Clumps |
| 300 | Gentiana andrews. | Strong |
| 330 | " | Light |
| 470 | Habenaria stipulata. | Strong, S. |
| 400 | Habenaria ciliaris | |
| 300 | Helonias bullata | |
| 140 | Hepatica acutiloba | |
| 230 | Heuchera americana | |
| 400 | " villosa | |
| 240 | Iris pseudacorus | |
| 850 | " verna. | Clumps |
| 1,000 | Liatris (Lacinaria) spicata. | Strong, S. |
| 160 | " | pumila |

LILIES

| | | |
|-------|--------------------------------|------------|
| 1,000 | Lilium carolinianum. | 2nd size |
| 1,100 | " | 1st size |
| 3,600 | " grayi. | 2nd size |
| 3,200 | " | 1st size |
| 6,700 | " superbum. | 1st size |
| 3,900 | " | 2nd size |
| 5,800 | " | 3rd size |
| 400 | Polygonatum commutatum. | Strong |
| 1,500 | " | Light |
| 1,050 | Solidago in canadensis | |
| 2,000 | Steironema ciliatum | |
| 500 | " quadrifolium | |
| 1,000 | " terrestris | |
| 1,280 | Stenanthium robustum. | 3rd size |
| 1,300 | " | 2nd size |
| 700 | " | 1st size |
| 500 | Stokesia cyanea. | Strong, S. |
| 2,500 | Thermopsis caroliniana. | 2 yr., S. |
| 400 | " | Strong |

TRILLIUMS

| | | |
|--------|----------------------------------|------------|
| 23,150 | Trillium grandiflorum. | Strong |
| 5,340 | " | Light |
| 350 | Vinca minor. | Strong |
| 130 | Viola bicolor. | Strong |
| 120 | " | Light |
| 350 | " cucullata | |
| 300 | " pedata. | Strong |
| 800 | " | Light |
| 115 | Xerophyllum asphodeloides | |
| 250 | Yucca filamentosa. | Strong, S. |
| 500 | " flaccida. | Light |

Address

HARLAN P. KELSEY, Owner
SALEM, MASSACHUSETTS